## **CLAIMS**

## We claim:

15

20

| 5 | 1. | A composition | comprising: |
|---|----|---------------|-------------|
|   |    |               |             |

- (a) a high acyl gellan gum;
- (b) a low acyl gellan gum;
- (c) a starch; and
- (d) a plasticizer.
- 10 2. The composition of claim 1, wherein the high acyl gellan gum has more than 40% acetyl and more than 45% glyceryl residual substituents per repeat unit.
  - 3. The composition of claim 1, wherein the low acyl gellan gum has less than 25% acetyl and less than 15% glyceryl residual substituents per repeat unit.
  - 4. The composition of claim 1, wherein the high acyl gellan gum is present in an amount of from about 0.3 to about 5% by weight of the composition on a wet basis.
  - 5. The composition of claim 1, wherein the low acyl gellan gum is present in an amount of from about 0.1 to about 4% by weight of the composition on a wet basis.
    - 6. A composition comprising:
      - (a) a high acyl gellan gum;
      - (b) a low acyl gellan gum;
- 25 (c) a starch, and a plasticizer,

wherein the high acyl gellan gum is present in an amount of from about 0.3 to about 5% and the low acyl gellan gum is present in an amount of from about 0.1 to about 4%, by weight of the composition on a wet basis.

- 7. The composition of claim 1, wherein the ratio of high acyl gellan to low acyl gellan is from about 0.25:1.0 to about 30.0:1.0.
- 8. The composition of claim 6, wherein the ratio of high acyl gellan to low acyl gellan is from about 0.25:1.0 to about 30.0:1.0.
- 5 9. The composition of claim 1, wherein the starch is an amylose containing starch.

10

15

20

30

- 10. The composition of claim 9, wherein the starch is a stabilized starch.
- 11. The composition of claim 10, wherein the starch is selected from the group consisting of a hydroxypropylated starch, a hydroxyethylated starch, an acetylated starch, and mixtures thereof.
  - 12. The composition of claim 8, wherein the starch is selected from the group consisting of a hydroxypropylated starch, a hydroxyethylated starch, an acetylated starch, and mixtures thereof.
  - 13. The composition of claim 1, wherein the starch is a dextrinized starch.
- 14. The composition of claim 1, wherein the starch is present in an amount of from about 15% to about 40%, by weight of the composition on a wet film basis.
  - 15. The composition of claim 8, wherein the starch is present in an amount of from about 15% to about 40%, by weight of the composition on a wet film basis.
- 25 16. The composition of claim 11, wherein the starch is present in an amount of from about 15% to about 40%, by weight of the composition on a wet film basis.
  - 17. The composition of claim 1, wherein the plasticizer is glycerin and is present in an amount of from about 30 to 80% by weight of the starch.

- 18. The composition of claim 8, wherein the plasticizer is glycerin and is present in an amount of from about 30 to 80% by weight of the starch.
- 19. The composition of claim 11, wherein the plasticizer is glycerin and is present in an amount of from about 30 to 80% by weight of the starch.
- 20. The composition of claim 1, further comprising hydrophilic or surface hydrophilically modified colloidal particles.
- 21. The composition of claim 8, further comprising hydrophilic or surface hydrophilically modified colloidal particles.
- 22. The composition of claim 11, further comprising hydrophilic or surface hydrophilically modified colloidal particles.
- 23. A capsule shell comprising a composition comprising:
  - (a) a high acyl gellan gum;
  - (b) a low acyl gellan gum;
  - (c) a starch; and

5

10

15

20

25

- (d) a plasticizer.
- 24. A capsule shell comprising
  - (a) a high acyl gellan gum;
  - (b) a low acyl gellan gum;
    - (c) a starch; and
    - (d) a plasticizer,

wherein the high acyl gellan gum is present in an amount of from about 0.3 to about 5% by weight of the composition on a wet basis and the low acyl gellan gum is present in an amount of from about 0.1 to about 4% by weight of the composition on a wet basis and wherein the ratio of high acyl gellan to low acyl gellan is from about 0.25:1.0 to about 30.0:1.0.

- 25. A capsule shell comprising
  - (a) a high acyl gellan gum;
  - (b) a low acyl gellan gum;
  - (c) a starch; and
- 5 (d) a plasticizer,

wherein the starch is a stabilized amylose containing starch selected from the group consisting of a hydroxypropylated starch, a hydroxyethylated starch, an acetylated starch, and mixtures thereof.

10